



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

ZODIAC 560 OB - Industry

Rev. August 2002
TECHNICAL DATA SHEET

H560 OB BASIC BOAT

- Fiberglass hull and deck (standard colors are orange, gray, black or white), non-skid/self-draining deck, bow locker with hinged lid (4.75 cu. ft./0.134 cu. m capacity), full height transom.
- Below deck cable routing, hull drain, high capacity deck drain scuppers, SS bow eye, 2 SS transom tie-down eyes, 4 lift points, aluminum outboard motor bracket.
- Removable 5 chamber inflatable collar, Neoprene/Hypalon coated fabric (standard colors are orange, gray, black or white), 2 paddles with storage patches, full-length lifeline on D-ring patches, rub strakes.
- Foot pump with hose, collar repair kit, operator's manual.

Options

Option Groups	Option Subgroups	Descriptions	Comments	Option Number
BOAT				
	<i>BASIC</i>			
		BASIC BOAT, SINGLE OR TWIN	See Basic Boat Description for details of equipment included.	Z-H-5630099
COLLAR OPTIONS				
	<i>INFLATION</i>			
		TUBE, IC VALVE UPGR, 5 CHAMBER	Upgrade to intercommunicating inflation valves.	Z-H-590IC
		TUBE, RELIEF VALVES, 5 CHAMBER	Over-pressure relief valves.	Z-H-5906891
	<i>LIFELINES</i>			
		TUBE, LACING CUFF UPGRADE	Lifeline installed on full length lacing cuff.	Z-H-590LC
	<i>MISC</i>			
		TUBE, 6 IN. LETTERS (PR)	6 inch high, painted on characters. Maximum of 12 characters and/or numbers (same characters/numbers each side).	Z-H-4408591
		TUBE, 4 IN. LETTERS,FABRIC(PR)	4 inch high, glued on fabric characters, with contrasting color fabric surround. Maximum of 12 characters and/or numbers (same characters/numbers each side).	Z-H-4408591-1
	<i>RUGGEDIZING</i>			
		TUBE, HD UPGRADE, BLACK	Includes: 2 pair tube handles, 2 pair rubstrake type step treads, 1 pair mooring d-ring, and 1 additional row rubstrake <590, OR, 2 additional rows rubstrake >= 590.	Z-H-590HDU

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

CONSOLE				
	<i>CONSOLE</i>			
		CNSL, INLINE	Inline console with seating for 2 persons, forward and aft SS handles, and storage under for day tanks. Black, Gray, Orange, or White	Z-H-6300194
		CNSL, Mk2 DELTA W/CTRL POD	Inline console with seating for 1 person, hinged top, internal storage, and side mounted pod for binnacle control. Black, Gray, Orange, or White	Z-H-6307399-4
		CNSL, STANDUP, ALUM	Aluminum standup console with windshield. Default paint color is same as deck color.	Z-H-6307492
		CNSL, STANDUP, GRP	GRP standup console with windshield. Black, Gray, Orange, or White	Z-H-6307494
		CNSL, STANDUP, SMALL, GRP	Small (short) GRP standup console with windshield. Black, Gray, Orange, or White	Z-H-5407400
	<i>POD</i>			
		POD, Mk2 DELTA NAV, GRP	Inline Nav/Com pod with seating for 1 person, hinged top, internal storage. Black, Gray, Orange, or White	Z-H-6307399-3
CONSOLE OPTIONS				
	<i>GUARDS</i>			
		CONTROL GUARD, INLINE SNGL ENG	Protects side mount control on inline console during hoisting operations. Also acts as additional handrail.	Z-H-5402958
		CONTROL GUARD, INLINE TWIN ENG	Protects side mount controls on inline console during hoisting operations. Also acts as additional handrail.	Z-H-5424298
	<i>T-TOP</i>			
		T-TOP, ALUM STANDUP CNSL	Aluminum pipe framework with electronics box, fabric canopy, and aft support struts.	Z-H-5902093
		T-TOP, ENCLOSED, GRP STANDUP	Aluminum framework with fabric canopy, aft support struts, windshield with forward quarter side windows, open to aft and sides.	Z-H-5912094
BOLSTER/SEATS				
	<i>BOLSTERS</i>			
		BOLSTER, BASIC LEANING	2 person pipe frame leaning bolster/seat.	Z-H-6302694
		BOLSTER, FOR SMALL STDUP CNSL	2 person pipe frame leaning bolster/seat. Basically the same as a basic bolster, but sized for shorter console.	Z-H-5402601
		BOLSTER, LEANING W/STORAGE	2 person leaning bolster with integrated storage. 5.1 cubic feet, 0.144 cubic meter capacity.	Z-H-5907791
		BOLSTER, ONE MAN LEANING	1 person freestanding single pole leaning bolster.	Z-H-5912593
	<i>HANDLE</i>			
		HANDLE, FWD, FOR FC JOCKY SEAT	Forward grab handle for FC jockey seat. Needed whenever a seat row ends with nothing else installed forward of seat.	G-C-5900695-1

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

	<i>SEATING</i>			
		SEAT, AFT STOR FOR BASIC BOL	Seat/footlocker. Designed for use with basic bolster, but can be used separately. 4.4 cubic feet, 0.126 cubic meter capacity.	Z-H-6302194
		SEAT, BENCH FOR SM STDUP CNSL	Bench seat with backrest and storage base for small standup console. 5.1cubic feet, 0.144 cubic meter capacity.	Z-H-5403501
		SEAT, FC JOCKEY, ALUM		Z-H-7349295
ELECTRICAL				
	<i>BATTERY</i>			
		BATTERY, 24-650CCA-140RC	Series 24, 650 cold cranking amps, 140 reserve cranking amps.	Z-H-7208191
		BATTERY, 24-750CCA-100RC	Series 24, 750 cold cranking amps, 100 reserve cranking amps. Spiral sealed, or select orbital sealed	Z-H-7348100
	<i>SWITCH</i>			
		BAT SWITCH, 1 BAT / 1 SWITCH	Battery not included.	Z-H-4408291
		BAT SWITCH, 2 BAT / 1 SWITCH	Batteries (2) not included.	Z-H-5901391
		BAT SWITCH, 2 BAT / 2 SWITCH	Batteries (2) not included.	Z-H-7341392
		DIMMER SWITCH	For dimming Instruments or Compass lights.	Z-H-4404592
	<i>CHARGER</i>			
		SHOREPWR CHGR, 1-2 BAT, 110/12	Battery charger for 1 or 2 batteries with 110 VAC input, 12 VDC output, 110 VAC - 3 breaker panel, and galvanic isolator. Shore power cable not included.	Z-H-6488998
	<i>CIRCUIT PANEL</i>			
		13 CKT ELEC W/BILGE/HORN	Includes navigation lights (bi-light mounted on collar bow and white 360 light), bilge pump, and horn.	Z-H-5906298
		5 CKT ELEC W/BILGE/HORN	Includes navigation lights (bi-light mounted on collar bow and white 360 light), bilge pump, and horn.	Z-H-5906198
	<i>LIGHTS</i>			
		DECK LIGHTS (PAIR)	White. Other colors only available by special order.	Z-H-5335694
		FLOODLIGHTS, JABSCO (PAIR)	Available with frame or t-top only.	Z-H-5905690
		SPOTLIGHT, HANDHELD	Includes marine style accessory plug.	Z-H-4408491
		SPOTLIGHT, REMOTE, GOLIGHT	Console mounted electric controls. Available with frame or t-top only.	Z-H-7338402
		STROBE EXTENSION, RADAR & SR	Extension for strobe light in conjunction with radar installations, or self-righting systems.	M-P-20604-1
		STROBE, BLUE	Available with frame or t-top only.	Z-H-5903397
		STROBE, BLUE, LIGHT BAR	Tomar 17 inch light bar. Available with frame or t-top only.	Z-H-5333398
	<i>MISC</i>			
		BILGE BLOWER	For venting any explosive fumes from the bilge.	Z-H-7339091

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

	<i>RECEPTACLE</i>			
		ACCESSORY PLUG, MARINE, 12VDC	Marine style (2 pin).	Z-H-4409492
GENERAL				
	<i>BEACHING</i>			
		BEACHING SHOE, GRP FULL LENGTH	Full length.	G-G-5600098
		KEEL GUARD, 8 FT X 8 IN, WHITE	Keel protection using Polycor PVC material applied with PSA.	Z-H-1702801
	<i>HOISTING</i>			
		SLING, 3 POINT W/SS RING	Polyester sling legs with stainless steel master link. Unit is Certified.	S-L-56302
	<i>MISC</i>			
		BILGE PUMP, MANUAL		Z-H-7333791
	<i>MOORING / SECURING</i>			
		ANCHOR PKG W/INSTALL, FORTRESS	Fortress FX7 anchor with shackles, 30 feet of chain, and 150 feet of anchor rode.	Z-H-85003
		TIEDOWN, FOLDING PADEYE (1)	Folding tie down fitting, please specify location.	Z-H-4737999
	<i>SAFETY</i>			
		FIRE EXT, 2.5 LB. INSTALLED	Dry Chemical fire extinguisher, USCG approved.	Z-H-4401694
		FLOATATION FOAM, ISO 6185	Flotation foam to meet the capacity requirements of ISO 6185.	G-F-5600099
		FOOT STIRRUPS (PAIR)	Not recommended for use with stand-up consoles.	Z-H-4404191
		REFLECTIVE TAPE KIT W/INSTALL	Reflective tape applied to hull exterior, and collar.	Z-H-7335291
	<i>SHIPPING</i>			
		SHIPPING CRADLE	Wooden shipping cradle.	Z-H-56098SC
		SHIPPING PREPARATION		Z-H-59094SW
	<i>TOWING</i>			
		BOW POST	Not available with H590 cuddy cabin.	Z-H-5600797
		ROPE GUARD		Z-H-5631200
		ROPE REEL, HIGH W/SHORT HANDLE	Specific unit selection is based on aft frame and/or towing options selected. Rope not included.	Z-H-5931194
		TOWPOST	Deck mounted. May not be available with some aft frame options.	Z-H-5630300
FRAMES				
	<i>RADAR</i>			
		FRAME, RADAR		Z-H-5631000
	<i>SELF RIGHTING</i>			
		FRAME, SELF RIGHTING, CO2	Includes complete self righting system (carbon dioxide), and personnel recovery line.	Z-H-5681498

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>



ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

FUEL				
	<i>TANKS</i>			
		FUEL TANK, 1 TANK / 2 ENG 148L	39 US gallons / 148 liters.	Z-H-5640800
		FUEL TANK, 2 TANK / 2 ENG 256L	68 US gallons / 256 liters.	Z-H-5647600
ENGINE				
	<i>OB MOUNTING</i>			
		ENG MOUNT, SNGL W/PDI & TRIALS	Includes mounting of single engine, engine Pre Delivery Inspection, and a minimum one hour sea trial.	Z-H-4400490
		ENG MOUNT, TWIN W/PDI & TRIALS	Includes mounting of twin engines, engine Pre Delivery Inspections, and a minimum one hour sea trial.	Z-H-5320490
	<i>PRE-RIGGING</i>			
		PRE-RIG, SNGL HONDA STDUP	Pre-rigging package includes controls, cables, harnesses, tachometer/hourmeter, trim, fuel (if below deck fuel system), and water pressure gauges.	Z-H-5959799
		PRE-RIG, SNGL MERC STDUP	Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges.	Z-H-5955796
		PRE-RIG, SNGL J-E STDUP	Bombardier Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges.	Z-H-5950596
		PRE-RIG, SNGL YAMAHA STDUP	Pre-rigging package includes controls, cables, harnesses, Yamaha Multigauge, and hourmeter, and fuel (if below deck fuel system), gauges.	Z-H-5955599
		PRE-RIG, TWIN HONDA STDUP	Pre-rigging package includes controls, cables, harnesses, tachometer/hourmeter, trim, fuel (if below deck fuel system), and water pressure gauges.	Z-H-5969793
		PRE-RIG, TWIN MERC STDUP	Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges.	Z-H-5965796
		PRE-RIG, TWIN J-E STDUP	Bombardier Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges.	Z-H-5960596
		PRE-RIG, TWIN YAMAHA STDUP	Pre-rigging package includes controls, cables, harnesses, Yamaha Multigauge, and hourmeter, and fuel (if below deck fuel system), gauges.	Z-H-5965599
	<i>STEERING</i>			
		STEERING, HYD, TELEFLEX	Single or Twin Engines.	Z-H-7331898

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:
<http://www.zodiacmilpro.com/distributors>