



# ZODIAC

MILITARY & PROFESSIONAL PRODUCTS DIVISION

## ZODIAC 870 OB - Military, Enforcement, Rescue, Industry

Rev. August 2002  
TECHNICAL DATA SHEET

### H870 OB BASIC BOAT

- 5086 aluminum alloy hull and deck (unpainted), non-skid/self-draining deck, aluminum motorwell, bow post.
- Below deck cable routing, hull drain, high capacity deck drain scuppers, bow eye, 2 SS transom tie-down eyes, 3 lift points.
- Removable 7 chamber inflatable collar, Neoprene/Hypalon coated fabric (standard colors are orange, gray, black or white), full-length lifeline on D-ring patches, rub strakes.
- Foot pump with hose, collar repair kit, operator's manual.

### Options

| Option Groups  | Option Subgroups | Descriptions                   | Comments  | Option Number |
|----------------|------------------|--------------------------------|---|---------------|
| BOAT           |                  |                                |   |               |
|                | BASIC            |                                |   |               |
|                |                  | BASIC BOAT, SINGLE OR TWIN     | See Basic Boat Description for details of equipment included.   | Z-H-8700001   |
| COLLAR OPTIONS |                  |                                |   |               |
|                | DIVER DOOR       |                                |   |               |
|                |                  | DIVERS DOOR UPGRADE, 40 INCH   | Patented  | Z-H-662DD40P  |
|                | INFLATION        |                                |   |               |
|                |                  | AUTOINFLATE, DIVEDOOR TUBE 12V | Patented  | Z-H-0001401-1 |
|                |                  | AUTOINFLATE, STANDARD TUBE 12V | Patented  | Z-H-0001401   |
|                |                  | TUBE, IC VALVE UPGR, 7 CHAMBER | Upgrade to intercommunicating inflation valves.   | Z-H-920IC     |
|                |                  | TUBE, RELIEF VALVES, 7 CHAMBER | Over-pressure relief valves.  | Z-H-9206895-M |
|                | LIFELINES        |                                |   |               |
|                |                  | TUBE, LACING CUFF UPGRADE      | Lifeline installed on full length lacing cuff.  | Z-H-920LC     |
|                | MISC             |                                |   |               |
|                |                  | TUBE, BOAT HOOK, 8' W/STORAGE  | 8 foot boat hook with storage/attachment patches.   | Z-H-4407501-1 |
|                |                  | TUBE, 6 IN. LETTERS (PR)       | 6 inch high, painted on characters. Maximum of 12 characters and/or numbers (same characters/numbers each side).  | Z-H-4408591   |
|                |                  | TUBE, 4 IN. LETTERS,FABRIC(PR) | 4 inch high, glued on fabric characters, with contrasting color fabric surround. Maximum of 12 characters and/or numbers (same characters/numbers each side). | Z-H-4408591-1 |

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:  
<http://www.zodiacmilpro.com/distributors>



# ZODIAC

## MILITARY & PROFESSIONAL PRODUCTS DIVISION

|                |  |                                |   |               |
|----------------|--|--------------------------------|---|---------------|
|                |  | TUBE, 6 IN. LETTERS,FABRIC(PR) | 6 inch high, glued on fabric characters, with contrasting color fabric surround. Maximum of 12 characters and/or numbers (same characters/numbers each side).   | Z-H-4408591-2 |
|                |  | TUBE, STEPTREAD, TREADMASTER   | One (1) piece only, 8 3/4 X 23 1/2 inches, black  | Z-H-4402790-1 |
|                |  | <i>RUGGEDIZING</i>             |   |               |
|                |  | DURARIB II, UPGRADE            | Patented. Neoprene/Hypalon coated fabric shell with foam insert, and internal air bladder.  | Z-H-923D2     |
|                |  | TUBE, BOW SKIRT, HD BLK FABRIC | Black, 2-ply fabric nosepiece. Only available with Lacing Cuff option.  | S-B-923001    |
|                |  | TUBE, HD UPGRADE, BLACK        | Includes: 2 pair tube handles, 2 pair rubstrake type step treads, 1 pair mooring d-ring, and 1 additional row rubstrake <590, OR, 2 additional rows rubstrake >= 590.   | Z-H-920H DU   |
|                |  | TUBE, INBOARD ATTACHMENT UPGR  | Tube attachment fasteners installed into SS inserts.  |               |
| <b>CONSOLE</b> |  |                                |   |               |
|                |  | <i>CABIN</i>                   |   |               |
|                |  | CABIN, SMALL                   | Includes: exterior and interior handrails, dome light, full length wire loom overhead, cabin drains, carbon monoxide detector, roof vent, Espar forced air diesel heater with additional electric blower driven defroster, windshields with wiper/washer system, sliding side windows, strobe/search light mast. Must order aft door/bulkhead option separately. Default paint color is same as deck color. | Z-H-8709301   |
|                |  | <i>CONSOLE</i>                 |   |               |
|                |  | CNSL, FC HELM, ALUM            | Default paint color is same as deck color.  | Z-H-6347400   |
|                |  | CNSL, Mk2 DELTA W/CTRL POST    | Inline console with seating for 1 person, hinged top, internal storage, and separate deck mounted post for binnacle control. Black, Gray, Orange, or White  | Z-H-6307399-2 |
|                |  | CNSL, STANDUP, ALUM            | Aluminum standup console with windshield. Default paint color is same as deck color.  | Z-H-6307492   |
|                |  | CNSL, STANDUP, ALUM W/FLD R FR | Aluminum standup console. Includes a forward folding radar frame with windshield, side windows/curtain. Default paint color is same as deck color.  | Z-H-6307492-3 |
|                |  | CNSL, STANDUP, GRP             | GRP standup console with windshield. Black, Gray, Orange, or White  | Z-H-6307494   |
|                |  | CNSL, STANDUP, LARGE, GRP      | Large GRP standup console with windshield. Black, Gray, Orange, or White  | Z-H-7337499   |
|                |  | CNSL, STANDUP, WIDE, ALUM      | Wide aluminum standup 2 person console with windshield. Default paint color is same as deck color.  | Z-H-2207498   |
|                |  | CNSL, STANDUP, WIDE, ENCLOSED  | Wide aluminum standup 2 person console with integrated handrails, windshield with wiper, electric defroster, forward quarter side windows, extended aluminum canopy top, open to aft and sides. Default paint color is same as deck color.  | Z-H-7367499-1 |

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:  
<http://www.zodiacmilpro.com/distributors>



# ZODIAC

## MILITARY & PROFESSIONAL PRODUCTS DIVISION

|                        |                        |                                |   |               |
|------------------------|------------------------|--------------------------------|---|---------------|
|                        | <i>POD</i>             |                                |   |               |
|                        |                        | POD, NAV, LARGE, ALUM          | Stand alone aluminum pod (no seat) for Nav/Com items (20 L x 14 W x 53 H inches)<br>Default paint color is same as deck color.                                  | Z-H-6349200-2 |
|                        |                        | POD, Mk2 DELTA NAV, GRP        | Inline Nav/Com pod with seating for 1 person, hinged top, internal storage. Black, Gray, Orange, or White   | Z-H-6307399-3 |
| <b>CONSOLE OPTIONS</b> |                        |                                |   |               |
|                        | <i>CABIN DOORS</i>     |                                |   |               |
|                        |                        | BHD W/ACRYLIC DOOR, SM CAB     | Aft bulkhead with port acrylic door and stbd window.  | Z-H-7349398   |
|                        | <i>CABIN MISC</i>      |                                |   |               |
|                        |                        | ACOUSTIC LINING, SM CAB        | Acoustic mitigation lining of inside of cabin. Also gives some thermal insulation.  | Z-H-7339399-2 |
|                        | <i>MATS</i>            |                                |   |               |
|                        |                        | ANTI FATIGUE MATTING, SM CAB   | Shock absorbing rubber floor mat.   | Z-H-7339399-1 |
|                        | <i>T-TOP</i>           |                                |   |               |
|                        |                        | T-TOP, ALUM STANDUP CNSL       | Aluminum pipe framework with electronics box, fabric canopy, and aft support struts.  | Z-H-5902093   |
|                        |                        | T-TOP, ENCLOSED, GRP STANDUP   | Aluminum framework with fabric canopy, aft support struts, windshield with forward quarter side windows, open to aft and sides.                                 | Z-H-5912094   |
|                        |                        | T-TOP, LARGE GRP STANDUP CNSL  | Aluminum pipe framework with electronics box, fabric canopy, and aft support struts.  | Z-H-7332093   |
| <b>BOLSTER/SEATS</b>   |                        |                                |   |               |
|                        | <i>BOLSTERS</i>        |                                |   |               |
|                        |                        | BOLSTER, BASIC LEANING         | 2 person pipe frame leaning bolster/seat.   | Z-H-6302694   |
|                        |                        | BOLSTER, DFO SEAT/BOL W/STOR   | 2 person leaning bolster with top that flips back to convert unit into seat. Integrated storage with 7.8 cubic feet, 0.22 cubic meter capacity.                 | Z-H-7353598   |
|                        |                        | BOLSTER, LEANING DROP BOTTOM   | 1 person freestanding single pole leaning bolster with downward folding seat. Designed for use with console that has recess for knees while in seated position. | Z-H-7343594   |
|                        |                        | BOLSTER, LEANING W/STORAGE     | 2 person leaning bolster with integrated storage. 5.1 cubic feet, 0.144 cubic meter capacity.   | Z-H-5907791   |
|                        |                        | BOLSTER, ONE MAN LEANING       | 1 person freestanding single pole leaning bolster.  | Z-H-5912593   |
|                        |                        | BOLSTER, TWO MAN LEANING       | 2 person freestanding twin pole leaning bolster.  | Z-H-5922593   |
|                        | <i>ELECTRONICS BOX</i> |                                |   |               |
|                        |                        | ELECTRONICS BOX, FC JOCKY SEAT | Bolts to the front of a FC Jockey Seat, and includes a hinged top with acrylic window.  | Z-H-7349295-2 |
|                        | <i>HANDLE</i>          |                                |   |               |
|                        |                        | HANDLE, FWD, FOR FC JOCKY SEAT | Forward grab handle for FC jockey seat. Needed whenever a seat row ends with nothing else installed forward of seat.  | G-C-5900695-1 |

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:  
<http://www.zodiacmilpro.com/distributors>



# ZODIAC

## MILITARY & PROFESSIONAL PRODUCTS DIVISION

|                   |                   |                                 |  |               |
|-------------------|-------------------|---------------------------------|--|---------------|
|                   | <i>SEATING</i>    |                                 |  |               |
|                   |                   | SEAT, CREW, (1) CABIN PORT      | Non-Suspension seat mounted on top of a frame base, and includes integrated footrest.  | Z-H-9203598-2 |
|                   |                   | SEAT, AFT STOR FOR BASIC BOL    | Seat/footlocker. Designed for use with basic bolster, but can be used separately. 4.4 cubic feet, 0.126 cubic meter capacity.  | Z-H-6302194   |
|                   |                   | SEAT, FC JOCKEY W/TALL BACKRST  | 655 mm high, with tall, bolt on backrest   | Z-H-9239200-2 |
|                   |                   | SEAT, FC JOCKEY, ALUM           |  | Z-H-7349295   |
|                   |                   | SEAT, FOOT LOCKER (3.7 CU. FT.) | Seat/footlocker. 3.7 cubic feet, 0.105 cubic meter capacity.   | Z-H-5952194   |
|                   |                   | SEAT, JUMP, CABIN               | Jump seat that mounts on cabin wall, and hinges up for flush storage.  | Z-H-7332694   |
|                   |                   | SEAT, SUSPENSION W/STORAGE      | Suspension seat mounted on storage base. 4.3 cubic feet, 0.122 cubic meter capacity. Designed for universal location, but also order M-P-00027 footrest if ordered as a crew seat. | Z-H-7333597   |
|                   |                   | SEAT, SUSPENSION, CABIN STBD    | Suspension seat mounted on top of a frame base. Designed as coxswains seat.  | Z-H-9203598-1 |
| <b>ELECTRICAL</b> |                   |                                 |  |               |
|                   | <i>BATTERY</i>    |                                 |  |               |
|                   |                   | BATTERY, 24-750CCA-100RC        | Series 24, 750 cold cranking amps, 100 reserve cranking amps. Spiral sealed, or select orbital sealed  | Z-H-7348100   |
|                   |                   | BATTERY, 31-1000CCA-200RC       | Series 31, 1000 cold cranking amps, 200 reserve cranking amps. Maintenance free  | Z-H-7338198   |
|                   | <i>SWITCH</i>     |                                 |  |               |
|                   |                   | BAT SWITCH, 2 BAT / 1 SWITCH    | Batteries (2) not included.  | Z-H-5901391   |
|                   |                   | BAT SWITCH, 2 BAT / 2 SWITCH    | Batteries (2) not included.  | Z-H-7341392   |
|                   |                   | BAT SWITCH, 3 BAT / 3 SWITCH    | Batteries (3) not included.  | Z-H-7341392-1 |
|                   |                   | DIMMER SWITCH                   | For dimming Instruments or Compass lights.   | Z-H-4404592   |
|                   | <i>INSTRUMENT</i> |                                 |  |               |
|                   |                   | BATTERY CONDITION INDICATOR     | Works with one or two batteries.   | Z-H-4430695   |
|                   | <i>CHARGER</i>    |                                 |  |               |
|                   |                   | SHOREPWR CHGR, 1-2 BAT, 110/12  | Battery charger for 1 or 2 batteries with 110 VAC input, 12 VDC output, 110 VAC - 3 breaker panel, and galvanic isolator. Shore power cable not included.                          | Z-H-6488998   |
|                   |                   | SHOREPWR CHGR, 1-2 BAT, 220/12  | Battery charger for 1 or 2 batteries with 220 VAC input, 12 VDC output, 220 VAC - 3 breaker panel, and galvanic isolator. Shore power cable not included.                          | Z-H-6488998-1 |
|                   |                   | SHOREPWR CHGR, 3 BAT, 110/12    | Battery charger for 3 batteries with 110 VAC input, 12 VDC output, 110 VAC - 3 breaker panel, and galvanic isolator. Shore power cable not included.                               | Z-H-6488998-2 |

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:  
<http://www.zodiacmilpro.com/distributors>



# ZODIAC

## MILITARY & PROFESSIONAL PRODUCTS DIVISION

|                |                      |                                |   |
|----------------|----------------------|--------------------------------|---|
|                | <i>CIRCUIT PANEL</i> |                                |   |
|                |                      | 10 CKT ELECTRICAL, EXTRA       | Additional panel with 10 breakers. Z-H-20175  |
|                |                      | 13 CKT ELEC W/BILGE/HORN       | Includes navigation lights (bi-light mounted on collar bow and white 360 light), bilge pump, and horn Z-H-9206298   |
|                |                      | 13CKT ELEC W/BILGE/HORN/P&S LT | Includes navigation lights (separate red and green mounted on frame or cabin and white 360 light), bilge pump, and horn. Z-H-7336299-2  |
|                |                      | 5 CKT ELEC W/BILGE/HORN        | Includes navigation lights (bi-light mounted on collar bow and white 360 light), bilge pump, and horn. Z-H-9206198  |
|                | <i>LIGHTS</i>        |                                |   |
|                |                      | DECK LIGHTS (PAIR)             | White. Other colors only available by special order. Z-H-5335694  |
|                |                      | FLOODLIGHTS, JABSCO (PAIR)     | Available with frame or t-top only. Z-H-5905690   |
|                |                      | SPOTLIGHT, HANDHELD            | Includes marine style accessory plug. Z-H-4408491   |
|                |                      | SPOTLIGHT, REMOTE, ACR HD      | Console mounted electric controls. Available with frame or t-top only. Z-H-7348495  |
|                |                      | SPOTLIGHT, REMOTE, GOLIGHT     | Console mounted electric controls. Available with frame or t-top only. Z-H-7338402  |
|                |                      | STROBE EXTENSION, RADAR & SR   | Extension for strobe light in conjunction with radar installations, or self-righting systems. M-P-20604-1   |
|                |                      | STROBE, BLUE                   | Available with frame or t-top only. Z-H-5903397   |
|                |                      | STROBE, BLUE, LIGHT BAR        | Tomar 17 inch light bar. Available with frame or t-top only. Z-H-5333398  |
|                |                      | RIAM LIGHTS, RED-WHT-RED       | Red-White-Red Lights for vessels Restricted in their ability to maneuver (e.g. diving). Conforms to Collision Regulations. Small mast that mounts on top of frame, cabin, t-top, etc. Z-H-7380297-2 |
|                |                      | TOWLIGHTS, WHT-YEL-WHT, W/MAST | White-Yellow-White Lights for vessels Towing or Pushing. Conforms to Collision Regulations. Mounts on top of frame, cabin, t-top, etc. Z-H-7380297  |
|                | <i>MISC</i>          |                                |   |
|                |                      | BILGE BLOWER                   | For venting any explosive fumes from the bilge. Z-H-7339091   |
|                |                      | TRIM TABS, ADJUSTABLE, Lenco   | Electro-mechanical. Z-H-7338899   |
|                | <i>RECEPTACLE</i>    |                                |   |
|                |                      | ACCESSORY PLUG, AUTO, 12VDC    | Automotive style (Cigarette). Z-H-4409492-1   |
|                |                      | ACCESSORY PLUG, MARINE, 12VDC  | Marine style (2 pin). Z-H-4409492   |
|                |                      | RECEPTACLES, 110VAC (PAIR)     | 2 - 110 VAC Outlets. Available with shore power/charger system only. Z-H-9208998-1  |
| <b>GENERAL</b> |                      |                                |   |
|                | <i>HOISTING</i>      |                                |   |
|                |                      | SLING, 3 POINT W/SS RING       | Polyester sling legs with stainless steel master link. Unit is Certified. S-L-87001   |

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:  
<http://www.zodiacmilpro.com/distributors>



# ZODIAC

## MILITARY & PROFESSIONAL PRODUCTS DIVISION

|               |                           |                                |  |             |
|---------------|---------------------------|--------------------------------|--|-------------|
|               | <i>MISC</i>               |                                |  |             |
|               |                           | BILGE PUMP, MANUAL             |  | Z-H-7333791 |
|               |                           | POSI-LATCH W/INSTR ON AL HULL  | Bow/keel mounted automatic trailer latch for use with Float-On brand trailers only. Used on aluminum hull boats only.  | Z-H-6620900 |
|               | <i>MOORING / SECURING</i> |                                |  |             |
|               |                           | ANCHOR PKG W/INSTALL, FORTRESS | Fortress FX11 anchor with shackles, 15 feet of chain, and 150 feet of anchor rode.   | Z-H-85004   |
|               |                           | TIEDOWN, FLUSH DECK (1)        | Flush tie down fitting, please specify location.   | Z-H-4727996 |
|               |                           | TIEDOWN, FOLDING PADEYE (1)    | Folding tie down fitting, please specify location.   | Z-H-4737999 |
|               | <i>PAINTING</i>           |                                |  |             |
|               |                           | BLACKOUT PKG, NO ENGINES       | Does not including painting of outboard engines, out drives, or jet housings.  | Z-H-73894B  |
|               |                           | HULL PAINT                     | Epoxy painting of all exposed interior, and exterior surfaces of aluminum hull. Deck areas that will have non-skid applied are not included. Black, Gray, Orange, or White | Z-H-9208697 |
|               | <i>SAFETY</i>             |                                |  |             |
|               |                           | FIRE EXT, 5 LB. INSTALLED      | Dry Chemical fire extinguisher, USCG approved.   | Z-H-4401691 |
|               |                           | FLOATATION FOAM, HULL MAXIMUM  | Flotation foam designed to fill the maximum capacity of the hull (with the exception of fuel and machinery requirements). Exceeds the requirements of ISO 6185.            | G-F-8700000 |
|               |                           | FOOT STIRRUPS (PAIR)           | Not recommended for use with stand-up consoles.  | Z-H-4404191 |
|               |                           | REFLECTIVE TAPE KIT W/INSTALL  | Reflective tape applied to hull exterior, and collar.  | Z-H-7335291 |
|               | <i>SHIPPING</i>           |                                |  |             |
|               |                           | SHIPPING PREPARATION           |  | Z-H-92094SW |
|               | <i>TOWING</i>             |                                |  |             |
|               |                           | ROPE GUARD                     |  | Z-H-8701201 |
| <b>FUEL</b>   |                           |                                |  |             |
|               | <i>TANKS</i>              |                                |  |             |
|               |                           | FUEL TANK, 1 TANK / 2 ENG 378L | 100 US gallons / 378 liters.   | Z-H-8720801 |
| <b>ENGINE</b> |                           |                                |  |             |
|               | <i>OB MOUNTING</i>        |                                |  |             |
|               |                           | ENG MOUNT, SNGL W/PDI & TRIALS | Includes mounting of single engine, engine Pre Delivery Inspection, and a minimum one hour sea trial.  | Z-H-4400490 |
|               |                           | ENG MOUNT, TWIN W/PDI & TRIALS | Includes mounting of twin engines, engine Pre Delivery Inspections, and a minimum one hour sea trial.  | Z-H-5320490 |
|               | <i>PRE-RIGGING</i>        |                                |  |             |
|               |                           | PRE-RIG, SNGL HONDA            | Pre-rigging package includes controls, cables, harnesses, tachometer/hourmeter, trim, fuel (if below deck fuel system), and water pressure gauges.                         | Z-H-6359799 |

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

ZODIAC - Military & Professional Products Division

For more information, contact the distributor in your region by visiting the Global Distributors listing at:  
<http://www.zodiacmilpro.com/distributors>



## ZODIAC

### MILITARY & PROFESSIONAL PRODUCTS DIVISION

|  |  |                                |  |               |
|--|--|--------------------------------|--|---------------|
|  |  | PRE-RIG, SNGL MERC             | Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges.            | Z-H-6305799   |
|  |  | PRE-RIG, SNGL MERC OPTIMAX SC  | 2002 Pre-rigging package includes controls, cables, harnesses, and gauges (SmartCraft SC1000 tachometer).  | Z-H-6305799-5 |
|  |  | PRE-RIG, SNGL MERC OPTIMAX SM  | 2002 Pre-rigging package includes controls, cables, harnesses, and gauges (SmartCraft SC1000 system monitor).  | Z-H-6305799-6 |
|  |  | PRE-RIG, SNGL J-E              | Bombardier Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges. | Z-H-6300599   |
|  |  | PRE-RIG, SNGL YAMAHA           | Pre-rigging package includes controls, cables, harnesses, Yamaha Multigauge, and hourmeter, and fuel (if below deck fuel system), gauges.                      | Z-H-6305599   |
|  |  | PRE-RIG, SNGL YAMAHA 4STRK     | Pre-rigging package includes controls, cables, harnesses, Yamaha Multigauge, and hourmeter, and fuel (if below deck fuel system), gauges.                      | Z-H-6305599-4 |
|  |  | PRE-RIG, TWIN HONDA 115 AND UP | Pre-rigging package includes controls, cables, harnesses, tachometer/hourmeter, trim, fuel (if below deck fuel system), and water pressure gauges.             | Z-H-6369799-1 |
|  |  | PRE-RIG, TWIN MERC             | Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges.            | Z-H-6325799   |
|  |  | PRE-RIG, TWIN MERC OPTIMAX SC  | 2002 Pre-rigging package includes controls, cables, harnesses, and gauges (SmartCraft SC1000 tachometers and speedometer)                                      | Z-H-6325799-5 |
|  |  | PRE-RIG, TWIN MERC OPTIMAX SM  | 2002 Pre-rigging package includes controls, cables, harnesses, and gauges (SmartCraft SC1000 system monitors).   | Z-H-6325799-6 |
|  |  | PRE-RIG, TWIN J-E              | Bombardier Pre-rigging package includes controls, cables, harnesses, tachometer, trim, hourmeter, fuel (if below deck fuel system), and water pressure gauges. | Z-H-6320599   |
|  |  | PRE-RIG, TWIN YAM 4 + 2STRK90- | Pre-rigging package includes controls, cables, harnesses, Yamaha Multigauge, and hourmeter, and fuel (if below deck fuel system), gauges.                      | Z-H-6325599   |
|  |  | PRE-RIG, TWIN YAM 2STRK 115 UP | Pre-rigging package includes controls, cables, harnesses, Yamaha Multigauge, and hourmeter, and fuel (if below deck fuel system), gauges.                      | Z-H-6325599-1 |
|  |  | <i>STEERING</i>                |  |               |
|  |  | STEERING, HYD, FOR HONDA       | Single or Twin Engines. Only required on 115 hp or larger.   | Z-H-7331898H  |
|  |  | STEERING, HYD, TELEFLEX        | Single or Twin Engines.  | Z-H-7331898   |
|  |  | STEERING, HYD, TWIN CYLINDER   | Twin Engines: 200 hp and larger, or non-counter rotating engines 150 hp and larger.  | Z-H-7351898-2 |

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL . UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

[ZODIAC - Military & Professional Products Division](#)

For more information, contact the distributor in your region by visiting the Global Distributors listing at:  
<http://www.zodiacmilpro.com/distributors>